## **Custom Filter Options for CMS Product Maintenance Search**

In the CMS, the Product Maintenance search allows you to find a product for editing. You can include a filter in the search criteria to narrow search results even further. Product Search comes with standard search filters:

Product Maintenance				=+ Add New Product
Q Product Search				
Search:	Filter	1		
Search	Q Search All	•		
Ø Reset Search	All	<u>^</u>		
	Acti	ve		
Product Code	Inac	:tive Title	Description	
	No	SEO URL		
CV100	Has	Ribbon	Endurance T10HRC Treadmill CV100Moc	del2 O Edit
CV101	No	Ribbon	Endurance E400 Elliptical Trainer	O Edit
	No	Image		

You can also add some fields with values from the Products table as filter options. For example, you can narrow the search to products from a particular category by adding category code filters. There is no limit to the number of additional filter options you can add.

## Add a custom filter option

To add a custom filter option:

1.	In the CMS, go to Advanced Content Reso	ources		
	CONTENT			
	🗘 Content		Product Code	
	<> Advanced Content		SEO Generation Rule Management	*
	ஃ Navigation	>	Layers	
	🖶 File Manager 🛛 📮	>	Custom Fields	Ľ.
	🖌 Style Guides	>	Content	h
	SETTINGS	>	Questionnaire Field Maintenance	H
	Settings	>	Questionnaire Group Maintenance	
	<b>*</b>	>	resources	
	X Advanced Settings			¥

2. In Search For, enter the resource name 'rcCmsProductCustomerFilter', then click Search.

Resource Mainte	enance
Search For : rcCmsProductCustomerFilter	Contains O Starts With Search

3. Make sure rcCmsProductCustomerFilter is selected, then click Modify.

Index code     Idea a specific category code			, rouderoustorment	inter is selected, then	onon <b>mouny</b> .			1
I hodify a lips : Diales I records. (* page 1) I Resource Value, enter one or more filler options.  Resource Value, enter one or more filler options.  Resource Value, enter one or more filler options.  Resource Value : Description : Descri	۲	rcCmsProduct	Resource Code CustomerFilter	en-au	je Code 👘 👘	Resource Value	Description	
I holdy, trev : clete Trecords. (* plane)  In Resource Value, enter one or more filler options.  Resource Value, enter one or more filler option in this exact (fext value)=[filter string]:  NOTE - '[] are used only to separate. Do not include them when you enter a resource value.  (rext value) is the label of the filter displayed in the dropdown list.  (rext value) is the laboration the displayed in the dropdown list.  (rext value) is the laboration the displayed in the dropdown list.  (rext value) is the laboration the displayed in the dropdown list.  (rext value) is the laboration the displayed in the dropdown list.  (rext value) is the laboration the displayed in the dropdown list.  (rext value) is the laboration the displayed in the dropdown list.  (rext value) is the laboration the displayed in the dropdown list.  (rext value) is the laboration the displayed in the dropdown list.  (rext value) is the laboration the displayed and any results exclude all Products that have been defended.  (rest value) is the laboration the displayed and any results exclude all Products that have been defended.  (rest value) is the laboration the displayed and any results exclude all Products that have been defended.  (rest value) is the laboration the displayed and any results exclude all Products that have been defended.  (rest value) is the information the displayed and any results exclude all Products that have been defended.  (rest value) is the information the displayed and any results exclude and any results exclude a								
If Modify : new : Delete I records. (*page:								
If Modify : then : Delete  1 records. (*page)  1  In Resource Value, enter one or more filter options.  Resource Value :								
I hoddy there : Delete Trecords. (fpager Trecords. (fpager) Trecords.								
Modify : Liew : Delete     In Resource Value, enter one or more filter options.      Resource Value, enter one or more filter options.      Resource Value :     Instructions - You will need to know the field identity name from the database. Add each filter option in this exact      Instructions - You will need to know the field identity name from the database. Add each filter option in this exact      Itext value]-[filter string];      NOTE - '[]' are used only to separate. Do not include them when you enter a resource value.      I [fietr value] is the label of the filter displayed in the dropdown list.      I [fietr string] is:      NOTE - '[]' are used only to separate. Do not include them when you enter a resource value.      I [fietr value] is the label of the filter displayed in the dropdown list.      I [fietr string] is:      NOTE - '[]' are used only to separate. Do not include them when you enter a resource value.      I [fietr value] is the label of the filter displayed in the dropdown list.      I [filter string] is:      NOTE - '[]' are used only to separate. Do not include them when you enter a resource value.      I [filter string] is:      Motion the database needs for processing the filter.      By default all the filters have IsDeleted = false added and any results exclude all Products that have been     deleted								
Modify : Liow : Delete     Incords. (fpRey     In Resource Value, enter one or more filter options.      Resource Value, enter one or more filter options.      Resource Value :     Instructions - You will need to know the field identity name from the database. Add each filter option in this exact     Itext value]=filter string];      NOTE - '[]' are used only to separate. Do not include them when you enter a resource value.      Itext value]=filter string];      NOTE - '[]' are used only to separate. Do not include them when you enter a resource value.      Itext value]=filter string];      NOTE - '[]' are used only to separate. Do not include them when you enter a resource value.      Itext value] is the label of the filter distabase needs for processing the filter.      By default all the filters have IsDeleted = false added and any results exclude all Products that have been     deleted      Check								
Indify: then: Delete     Incords. (*page)      Incords. (*page)      Incords. (*page)      Incords. (*page)      Instructions - Vou will need to know the field identity name from the database. Add each filter option in this exact      Instructions - You will need to know the field identity name from the database. Add each filter option in this exact      Instructions - You will need to know the field identity name from the database. Add each filter option in this exact      Instructions - You will need to know the field identity name from the database. Add each filter option in this exact      Instructions - You will need to know the field identity name from the database. Add each filter option in this exact      Instructions - You will need to know the field identity name from the database. Add each filter option in this exact      Itext value]-[filter string];  NOTE - [1] are used only to separate. Do not include them when you enter a resource value.      I text value] is the label of the filter displayed in the dropdown list.      If the string is the information the database needs for processing the filter.      I text value is the label of the filter shave IsDeleted = false added and any results exclude all Products that have been      deleted      Cock          the ext value can be anything BUT the 's ign MUST not have a space after it          the end of the sql filter must have a semi-colon to finish the item group      Examples  Add specific category codes as filter options.  Add a specific category code								
Modify: New : Delete     Incords. (Pper )      In Resource Value, enter one or more filter options.      Resource Code: :en-au      Resource Value:      Description:      Description:      Description:      Description:      Instructions - You will need to know the field identity name from the database. Add each filter option in this exact      Itext value]=[filter string];  NOTE - []' are used only to separate. Do not include them when you enter a resource value.      If there string is the information the database needs for processing the filter.      If the filter string is the information the database needs for processing the filter.      If default all the filters have IsDeleted = false added and any results exclude all Products that have been     deleted      Check          the text value can be anything BUT the '=' sign MUST not have a space after it         the end of the sql filter must have a semi-colon to finish the item group      Examples  Add specific category codes as filter options.  Add a specific category code								
In Modify: New : Delete In records. (These is not one or more filter options. Resource Value, enter one or more filter options. Resource Value :								
In Modify: New : Delete Trecords. (1p36) Th Resource Value, enter one or more filter options. Resource Code : cCmsProducCustomerFilter Language Code : en-au Resource Value : Description : Description : Description : Instructions - You will need to know the field identity name from the database. Add each filter option in this exact filter value]=[filter string]; NOTE - [] are used only to separate. Do not include them when you enter a resource value. I fext value]=[filter string]; NOTE - [] are used only to separate. Do not include them when you enter a resource value. I filter string] is the label of the filter displayed in the dropdown list. I filter string] is the label of the filter displayed in the dropdown list. I filter string] is the information the database needs for processing the filter. By default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted O theck • the text value can be anything BUT the '=' sign MUST not have a space after it • the end of the sql filter must have a semi-colon to finish the item group Examples Add specific category codes as filter options. Add specific category codes as filter options.								
Modify : Dev : Delete     In cords. (Mpage)      In Resource Value, enter one or more filter options.      Resource Value, enter one or more filter options.      Resource Value :     Intervention - Interventerventi - Intervention - Intervention - Interventervention - Int								
I Modify : New : Delete I records. (Ppage) I A Resource Value, enter one or more filter options. Resource Code : [c::::::::::::::::::::::::::::::::::								
I records. (Free integration of the set value of the set value integrate of the set value integrate. Do not include them when you enter a resource value. I text value]= filter string]; NOTE - [] are used only to separate. Do not include them when you enter a resource value. I [text value]= is the label of the filter displayed in the dropdown list. I [Iters string] is the information the database needs for processing the filter. I [filter string]; NOTE - [] check I the text value can be anything BUT the '=' sign MUST not have a space after it I the end of the self filter must have a semi-colon to finish the item group Examples Add specific category codes as filter options.	<b>1</b>	1odify : New :	Delete					
In Resource Value, enter one or more filter options.          Resource Code : [rcCmsProductCustomerFilter         Language Code : en-au         Resource Value :	1 rec	cords. (1 page)					1	
Resource Code : [rcCmsProductCustomerFilter         Language Code : en-au         Resource Value :	In Re	source Valu	le, enter one or mo	re filter options.				I
Language Code : en-au         Resource Value :         Description :         Instructions - You will need to know the field identity name from the database. Add each filter option in this exact         [text value]=[filter string];         NOTE - '[ ]' are used only to separate. Do not include them when you enter a resource value.         • [text value]=filter string];         NOTE - '[ ]' are used only to separate. Do not include them when you enter a resource value.         • [text value] is the label of the filter displayed in the dropdown list.         • [filter string] is the information the database needs for processing the filter.         • By default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted         Image: Check       • the text value can be anything BUT the '=' sign MUST not have a space after it         • the end of the sql filter must have a semi-colon to finish the item group         Examples         Add specific category codes as filter options.         LAdd a specific category code	Res	ource Code : [	rcCmsProductCustome	rFilter				
Resource Value : Description : Instructions - You will need to know the field identity name from the database. Add each filter option in this exact [text value]=[filter string]; NOTE - '[]' are used only to separate. Do not include them when you enter a resource value. (text value]=[filter string]; NOTE - '[]' are used only to separate. Do not include them when you enter a resource value. (text value] is the label of the filter displayed in the dropdown list. (filter string] is the information the database needs for processing the filter. by default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted Check • the text value can be anything BUT the '=' sign MUST not have a space after it • the end of the sql filter must have a semi-colon to finish the item group Examples Add specific category codes as filter options.	Lang	juage Code : (	en-au		]			
Instructions - You will need to know the field identity name from the database. Add each filter option in this exact [text value]=[filter string]; NOTE - '[]' are used only to separate. Do not include them when you enter a resource value.    [text value] is the label of the filter displayed in the dropdown list.  [filter string] is the information the database needs for processing the filter.  By default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted  Content in the text value can be anything BUT the '=' sign MUST not have a space after it the end of the sql filter must have a semi-colon to finish the item group  Examples Add specific category codes as filter options.  LAdd a specific category code	Res	source Value :						
Description :         Instructions - You will need to know the field identity name from the database. Add each filter option in this exact [text value]=[filter string];         NOTE - '[ ]' are used only to separate. Do not include them when you enter a resource value.         • [text value] is the label of the filter displayed in the dropdown list.         • [filter string] is the information the database needs for processing the filter.         • By default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted         ①       Check         • the text value can be anything BUT the '=' sign MUST not have a space after it         • the end of the sql filter must have a semi-colon to finish the item group         Examples         Add specific category codes as filter options.         L. Add a specific category code					1			
Description :         Instructions - You will need to know the field identity name from the database. Add each filter option in this exact [text value]=[filter string];         NOTE - '[ ]' are used only to separate. Do not include them when you enter a resource value.         • [text value] is the label of the filter displayed in the dropdown list.         • [filter string] is the information the database needs for processing the filter.         • By default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted         • the text value can be anything BUT the '=' sign MUST not have a space after it         • the end of the sql filter must have a semi-colon to finish the item group         Examples         Add specific category codes as filter options.         L. Add a specific category code		[						
Instructions - You will need to know the field identity name from the database. Add each filter option in this exact [text value]=[filter string]; NOTE - [1]' are used only to separate. Do not include them when you enter a resource value. • [text value] is the label of the filter displayed in the dropdown list. • [filter string] is the information the database needs for processing the filter. • By default all the filters have lsDeleted = false added and any results exclude all Products that have been deleted • the text value can be anything BUT the '=' sign MUST not have a space after it • the end of the sql filter must have a semi-colon to finish the item group Examples Add specific category codes as filter options. • Add a specific category code		Description :						
Instructions - You will need to know the field identity name from the database. Add each filter option in this exact [text value]=[filter string]; NOTE - '[ ]' are used only to separate. Do not include them when you enter a resource value. • [text value] is the label of the filter displayed in the dropdown list. • [filter string] is the information the database needs for processing the filter. • By default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted • the text value can be anything BUT the '=' sign MUST not have a space after it • the end of the sql filter must have a semi-colon to finish the item group • the end of the sql filter must have a semi-colon to finish the item group					/			
[text value]=[filter string]; NOTE - '[]' are used only to separate. Do not include them when you enter a resource value. <ul> <li>[text value] is the label of the filter displayed in the dropdown list.</li> <li>[filter string] is the information the database needs for processing the filter.</li> <li>By default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted</li> </ul> <b>Check</b> <ul> <li>the text value can be anything BUT the '=' sign MUST not have a space after it</li> <li>the end of the sql filter must have a semi-colon to finish the item group</li> </ul> <b>Examples</b> Add specific category codes as filter options.	Instr	uctions - Yo	u will need to know	the field identity nam	ne from the data	base. Add each	filter option in this	s exact f
<ul> <li>NOTE - '[]' are used only to separate. Do not include them when you enter a resource value.</li> <li>[text value] is the label of the filter displayed in the dropdown list.</li> <li>[filter string] is the information the database needs for processing the filter.</li> <li>By default all the filters have lsDeleted = false added and any results exclude all Products that have been deleted</li> <li>Check <ul> <li>the text value can be anything BUT the '=' sign MUST not have a space after it</li> <li>the end of the sql filter must have a semi-colon to finish the item group</li> </ul> </li> <li>Examples</li> <li>Add specific category codes as filter options.</li> </ul>	[text	value]=[filter	string];					
<ul> <li>[text value] is the label of the filter displayed in the dropdown list.</li> <li>[filter string] is the information the database needs for processing the filter.</li> <li>By default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted</li> <li>Check <ul> <li>the text value can be anything BUT the '=' sign MUST not have a space after it</li> <li>the end of the sql filter must have a semi-colon to finish the item group</li> </ul> </li> <li>Examples Add specific category codes as filter options. </li> </ul>	NOT	E - '[ ]' are us	ed only to separate	. Do not include the	m when vou ente	er a resource val	lue	
<ul> <li>Itext value is the laber of the inter displayed in the displayed</li></ul>		<ul> <li>[] a. e ae</li> <li>[toxt yold</li> </ul>	al is the lobal of the	a filtar diaplayed in th	o drondown liet			
<ul> <li>By default all the filters have IsDeleted = false added and any results exclude all Products that have been deleted</li> <li>Check <ul> <li>the text value can be anything BUT the '=' sign MUST not have a space after it</li> <li>the end of the sql filter must have a semi-colon to finish the item group</li> </ul> </li> <li>Examples Add specific category codes as filter options. LAdd a specific category code</li></ul>		<ul> <li>[text value]</li> <li>[filter strip]</li> </ul>	ng] is the information	on the database need	ds for processing	g the filter.		
Check  the text value can be anything BUT the '=' sign MUST not have a space after it the end of the sql filter must have a semi-colon to finish the item group  Examples Add specific category codes as filter options.  LAdd a specific category code		<ul> <li>By defau deleted</li> </ul>	It all the filters have	e IsDeleted = false ad	ided and any re	sults exclude all	Products that hav	re been
Check         • the text value can be anything BUT the '=' sign MUST not have a space after it         • the end of the sql filter must have a semi-colon to finish the item group      Examples Add specific category codes as filter options. L Add a specific category code								
<ul> <li>the text value can be anything BUT the '=' sign MUST not have a space after it</li> <li>the end of the sql filter must have a semi-colon to finish the item group</li> </ul> Examples Add specific category codes as filter options. 1. Add a specific category code			Check					
<ul> <li>the end of the sql filter must have a semi-colon to finish the item group</li> <li><b>Examples</b></li> <li>Add specific category codes as filter options.</li> <li>1. Add a specific category code</li> </ul>			0 the text va	lue can be anything	RLIT the '-' sian	MUST not have	a snace after it	
Examples Add specific category codes as filter options. 1. Add a specific category code			<ul> <li>the end of</li> </ul>	the sql filter must ha	ve a semi-colon	to finish the iten	n group	
<b>Examples</b> Add specific category codes as filter options. 1 <u>. Add a specific category code</u>								
Examples Add specific category codes as filter options. 1. Add a specific category code								
Add specific category codes as filter options. 1. Add a specific category code	Exam	ples						
1. Add a specific category code	Add s	pecific cateo	ory codes as filter o	options.				
1. Add a specific category code		-9						
	1 1 1	d o opcoific -	ataganyacda					
	i. Add	<u>i a specific c</u>	alegory code					

To create a filter with this category code, we add this string in Resource Value:

	Resource Value	:		
	NOTE - The text string car	n be any text you want to ac	dd.	
	Once saved, this filter optic	on will be available in Produ	uct Search. When this filter is selected	, only products under
	Q Product Search	in the search.		
	Search:		Filter:	
	Search		Q Search Category Code (SX010102)	-
	C) Reset Search			
	Product Code	1 APN	Title	Description
	CV101			Endurance E400 Elliptical Trainer
	CV107			Bowflex SelectTech 5-25lb Dumb
	CV108			Cap 10lb Hexagon Solid Dumbell
	CV109			Pure Fitness 40lb Weighted Vest
<u>2. Add a</u>	a specific category code with	<u>h more subfilter values</u>		
To crea	te a filter with this category o Category Code (SX010102	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102':Cate	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCode ecory Code (SX010102) v	de =
To crea	te a filter with this category of Category Code (SX010102 Resource Value	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCoo egory Code (SX010102) v 'Code = 'SX010102' AND	de = vith UnitDesc = 'EACH';
To crea	ite a filter with this category of Category Code (SX010102 Resource Value	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCod egory Code (SX010102) v Code = 'SX010102' AND	de = vith UnitDesc = 'EACH';
To crea	ite a filter with this category of Category Code (SX010102 Resource Value	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCode egory Code (SX010102) v 'Code = 'SX010102' AND	de = vith UnitDesc = 'EACH';
To crea	te a filter with this category of Category Code (SX010102 <b>Resource Value</b>	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCod egory Code (SX010102) v Code = 'SX010102' AND	de = vith UnitDesc = 'EACH';
To crea	te a filter with this category of Category Code (SX010102 Resource Value	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCode egory Code (SX010102) v Code = 'SX010102' AND	de = vith UnitDesc = 'EACH';
To crea	te a filter with this category of Category Code (SX010102 Resource Value	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCod egory Code (SX010102) v Code = 'SX010102' AND 	de = vith UnitDesc = 'EACH';
To crea	The a filter with this category of Category Code (SX010102) Resource Value Product Maintenance  Product Search Search Search	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCode egory Code (SX010102) v Code = 'SX010102' AND Code = 'SX010102' AND Filter: CategoryCode (SX010102) with EACH	de = vith UnitDesc = 'EACH';
To crea	te a filter with this category of Category Code (SX010102 Resource Value Product Maintenance Q Product Search Search Q Rest Search	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102) = CategoryCode egory Code (SX010102) w Code = 'SX010102' AND Filter: Pilter: CategoryCode (SX010102) with EACH	de = vith UnitDesc = 'EACH';
To crea	The a filter with this category of Category Code (SX010102) Resource Value Product Maintenance  Product Search Reset Search Product Code	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCode egory Code (SX010102) v Code = 'SX010102' AND Filter: Q Search Category Code (SX010102) with EACH Title	de = vith UnitDesc = 'EACH';
To crea	Category Code (SX010102 Category Code (SX010102 Resource Value Product Maintenance Q Product Search Q Rest Search	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102) = CategoryCode egory Code (SX010102) w Code = 'SX010102' AND Filter: CategoryCode (SX010102) with EACH Title	de = vith UnitDesc = 'EACH';
To crea	The a filter with this category of Category Code (SX010102) Resource Value Product Maintenance  Product Search  Reset Search  Product Code  CV101  CV108	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102) = CategoryCode egory Code (SX010102) w Code = 'SX010102' AND Filter: CategoryCode (SX010102) with EACH Title	de = vith UnitDesc = 'EACH';
To crea	The a filter with this category of Category Code (SX010102)  Resource Value  Product Maintenance  Product Search  Rest Search  Product Code  Cv108  Cv109  Cv108  Cv109  Cv10 Cv109  Cv1	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCode egory Code (SX010102) v Code = 'SX010102' AND Filter: Q Search CategoryCode (SX010102) with EACH Title	de = vith UnitDesc = 'EACH';
To crea	The a filter with this category of Category Code (SX010102) Category Code (SX010102) Resource Value  Product Maintenance  Product Search  Resource Value  Cv101  Cv108  Cv109  Cv226  Cv111	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102) = CategoryCode egory Code (SX010102) w 'Code = 'SX010102' AND 'Code = 'SX010102' AND File: CategoryCode (SX010102) with EACH Title	de = vith UnitDesc = 'EACH';
To crea	Resource Value Product Maintenance Product Search Ress Search Res	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102)=CategoryCode egory Code (SX010102) v Code = 'SX010102' AND Filter: Category Code (SX010102) with EACH Title	de = vith UnitDesc = 'EACH';
To crea	The a filter with this category of Category Code (SX010102 Resource Value Product Maintenance Q Product Search Q Product Search Q Rest Search Q R Rest Search Q R Rest Search Q R R R R R R R R R R R R R R R R R R R	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102) = CategoryCode egory Code (SX010102) w Code = 'SX010102' AND File: CategoryCode (SX010102) with EACH Title	de = vith UnitDesc = 'EACH';
To crea	te a filter with this category of Category Code (SX010102 Resource Value Product Maintenance Product Search Product Search Product Code Cv109 Cv108 Cv109 Cv28 Cv411 I I I	code, we add this string in I 2)=CategoryCode='SX0101 Category Code ( 'SX010102';Cate EACH=Category	Resource Value: 102 AND UnitDesc='EACH'; (SX010102) = CategoryCode egory Code (SX010102) w Code = 'SX010102' AND Filter: CategoryCode (SX010102) with EACH Title	de = vith UnitDesc = 'EACH';

Search		Q Search Catego
() Durit Court		Active
V Reset Search		Inactive No Title
Des dust Carda	<b>*</b> 400	No SEO
Product Code	1 APN	Has Ribl
		No Ribb
		No Imag
		Categor
		Categor

## Related help

- Product Maintenance Settings Product Maintenance