

Product Tokens list

The following table describes the various product tokens which can be used in templates.

Token ID	Description
AccessoriesAvailable	Returns True or False as to whether accessories exist for the queried product. Returns data from LivePriceCache table, not ProductAlternatives table.
AccessoriesCount	Returns total number of accessories for the queried product, taking into consideration any contract item rules.
AddProductToComparisonListToken	Renders a tick box which adds the queried product to the user's Comparison List.
AddReviewButton	Renders an 'Add Review' button which brings up a review form for the queried product.
AddToFavouritesButton	Renders an 'Add to Favourites' button which, when ticked, will add the queried product to the user's Favourites list.
AddToOrCreateOwnRegistryListButton	Renders html button for adding the queried product to one of the user's own registry lists, or creating and adding to a new list.
AddToOrderButton	Renders an 'Add to Order' button to add the product to the user's shopping cart.
AllowOrderEntryForProduct	Returns True or False as to whether the user should be permitted to order the product, based on various business rules.
AlternatesAccessoriesText	Retrieves html about accessories or products relating to the queried product.
AlternatesAvailable	Returns True or False as to whether alternates exist for the queried product.
AlternatesCount	Returns total number of alternates for the queried product.
AttributedProductDropDownList	Renders a drop-down list for attribute options against the queried (attributed) product.
AttributeList	Returns a list of all attribute combinations in the database for a queried (attributed) product.
AttributePriceBreakContainer	For Attributed Products (style/colour/size variations), renders the template for displaying quantity break information (IF quantity breaks exist for the attribute).
AvailableForBot	No longer in use. Use 'AvailableForOne' instead.
AvailableForOne	Renders the available quantity of the queried product. The value returned is determined by the system setting 'Available Qty calculation', and the system/role-based setting 'Stock Availability'. (Sites can be configured to take into account Qty On Hand, Qty Committed, Qty Backordered, Qty Forward Ordered, Qty on PO, and so forth.
AvailableQty	Returns the quantity available for sale (expressed as a decimal value), after calculating stock on hand, quantity committed, PO's in transit, etc. Useful for conditional templates in which logic is employed.
AvailableQtyNotIncCurrentLinesString	Returns the quantity available of the queried product, not taking into account quantities currently in shopping carts as unsubmitted orders. (If the site is configured to count stock in Unsubmitted Orders in availability calculations, this token will override that and just display the warehouse availability.
AverageRating	Returns average rating for the queried product, expressed as a decimal point (eg 1.00), IF the product has been rated at least once. Otherwise, returns the resource 'rcProductReviewNoteRated' (which could be set to say "Be the first to review this product" or similar).
AverageRatingDescription	Returns the text equivalent of the queried product's average rating value (defined in System Table of type='Rating'). For example, 3 stars = 'Average'.
AverageRatingText	If the queried product has reviews, returns the value of 'rcProductReviewRatingText', including the numeric average review. If no reviews, returns empty string. (Example '4 out of 5 possible Stars')
BonusStockForProductText	If there are 1 or more bonus products attached to the queried product, renders the content defined in "ProductBonusItemsTemplate" (set in Assign Default Templates - zAllocate.aspx).
ConfigureKitButton	Renders a resource-based input button that allows user to configure kit components.

CostCentreCode	Returns the cost centre code control HTML if the product is allowed to be ordered, otherwise returns ?
CustomerFavouritesProductDisplayIcon	Checks if the queried product is in the list of customer favourites. If so, returns a resource.
CustomerProductCode	Returns the Customer-specific product code for the queried product.
DeleteFromUserStocktakeButton	Renders a button to remove a product from the user's current stocktake calculation.
DiscountForOne	Returns the discount (if any apply) for quantity x 1 of the queried product.
DiscountForOneString	Returns the discount for qty x 1 of the queried product, including the '%' symbol. If no discount, returns empty string.
GPAmountEx	Returns the GP dollar amount (ex GST) for a quantity x 1 of the product.
GPAmountExForQty(Decimal)	Returns the GP dollar amount (ex GST) for a specified quantity of the product.
GPPercentageEx	Returns the GP percentage (ex GST) for a quantity x 1 of the product.
GPPercentageExForQty(Decimal)	Returns the GP percentage (ex GST) for a specified quantity of the product.
HasLiveQuantityBreaks	Returns True or False as to whether the product has quantity breaks, allowing for use in Xslt templates. (Only for Live connections)
KitCode	Returns the Kit Code if configurable kits are enabled and the queried product is a kit.
LiveQuantityBreakMessage	Returns a resource value (description) to indicate to the user that quantity break pricing applies to the queried product.
MetaDataSummary	Returns a summary of all product metadata as defined in MetaDataSummaryFieldGroup and rendered using MetaDataSummaryTemplate as nominated in ProductCategory, Role, or System settings.
MetaDataSummaryCustom(String, String)	Returns a summary of all product metadata as defined in the supplied template and fieldgroup.
NettPriceBreak0	Returns the Nett Price Break (with discount) at level 0. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevel0Template'.
NettPriceBreak0ExGST	Returns the Nett Price Break (with discount), ex-GST at level 0. Returns translated value based on resource 'PriceLevel0Template'.
NettPriceBreak0IncGST	Returns the Nett Price Break (with discount), incl-GST at level 0. Returns translated value based on resource 'PriceLevel0Template'.
NettPriceBreak1	Returns the Nett Price Break (with discount) at level 1. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevel1Template'.
NettPriceBreak1ExGST	Returns the Nett Price Break (with discount), ex-GST at level 1. Returns translated value based on resource 'PriceLevel1Template'.
NettPriceBreak1IncGST	Returns the Nett Price Break (with discount), incl-GST at level 1. Returns translated value based on resource 'PriceLevel1Template'.
NettPriceBreak2	Returns the Nett Price Break (with discount) at level 2. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevel2Template'.
NettPriceBreak2ExGST	Returns the Nett Price Break (with discount), ex-GST at level 2. Returns translated value based on resource 'PriceLevel2Template'.
NettPriceBreak2IncGST	Returns the Nett Price Break (with discount), incl-GST at level 2. Returns translated value based on resource 'PriceLevel2Template'.
NettPriceBreak3	Returns the Nett Price Break (with discount) at level 3. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevel3Template'.
NettPriceBreak3ExGST	Returns the Nett Price Break (with discount), ex-GST at level 3. Returns translated value based on resource 'PriceLevel3Template'.
NettPriceBreak3IncGST	Returns the Nett Price Break (with discount), incl-GST at level 3. Returns translated value based on resource 'PriceLevel3Template'.

NettPriceBreak4	Returns the Nett Price Break (with discount) at level 4. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevel4Template'.
NettPriceBreak4ExGST	Returns the Nett Price Break (with discount), ex-GST at level 4. Returns translated value based on resource 'PriceLevel4Template'.
NettPriceBreak4IncGST	Returns the Nett Price Break (with discount), incl-GST at level 4. Returns translated value based on resource 'PriceLevel4Template'.
NettPriceBreakPrice0	Returns the Nett Price Break (with discount) at level 0. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice0ExGST	Returns the Nett Price Break (with discount), ex-GST at level 0. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice0IncGST	Returns the Nett Price Break (with discount), incl-GST at level 0. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice1	Returns the Nett Price Break (with discount) at level 1. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice1ExGST	Returns the Nett Price Break (with discount), ex-GST at level 1. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice1IncGST	Returns the Nett Price Break (with discount), incl-GST at level 1. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice2	Returns the Nett Price Break (with discount) at level 2. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice2ExGST	Returns the Nett Price Break (with discount), ex-GST at level 2. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice2IncGST	Returns the Nett Price Break (with discount), incl-GST at level 2. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice3	Returns the Nett Price Break (with discount) at level 3. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice3ExGST	Returns the Nett Price Break (with discount), ex-GST at level 3. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice3IncGST	Returns the Nett Price Break (with discount), incl-GST at level 3. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice4	Returns the Nett Price Break (with discount) at level 4. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice4ExGST	Returns the Nett Price Break (with discount), ex-GST at level 4. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceBreakPrice4IncGST	Returns the Nett Price Break (with discount), incl-GST at level 4. Returns the numeric value only, suitable for conditional templates (which employ logic).
NettPriceForOne	Returns price (no discount) for quantity x 1 of the product. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive.
NettPriceForOneEx	Returns price (no discount) ex-tax, for quantity x 1 of the product.
NettPriceForOneExOrMessage	Same as NettPriceForOne, unless attribute(s) have not been configured. In this case, displays message to user to select product options (resource 'rcProductAttributePriceEmptyMessage').
NettPriceForOneInc	Returns price (no discount) inc-tax, for quantity x 1 of the product.
NettPriceForOneIncOrMessage	Returns price (with discount) inc-tax, for quantity x 1 of the product, unless attribute(s) have not been configured. In this case, displays message to user to select product options (resource 'rcProductAttributePriceEmptyMessage').
NettPriceForOneOrMessage	Returns price (with discount) for quantity x 1 of the product. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive.
NettPriceForOneString	Returns Nett Price (with discount), for qty x 1 of the queried product. Returned value includes '\$' symbol. Useful for display templates rather than conditional templates (which employ logic).
NettTaxForOne	Returns the GST amount for quantity x 1 of the product.
NumberOfReviews	Returns numeric value of the number of approved/published reviews for the queried product.

OnContract	Returns True or False as to whether the queried product is a contract item.
Picture1	Returns the 'Picture1' file name for the queried product.
PriceBreak0	Returns the Price Break (without discount). Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevel0Template'.
PriceBreak0Ex GST	Returns the Price Break (without discount), ex-GST. Returns translated value based on resource 'PriceLevel0Template'.
PriceBreak0Inc GST	Returns the Price Break (without discount), incl-GST. Returns translated value based on resource 'PriceLevel0Template'.
PriceBreak1	Returns the Price Break (without discount). Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevelXTemplate'.
PriceBreak1Ex GST	Returns the Price Break (without discount), ex-GST. Returns translated value based on resource 'PriceLevel1Template'.
PriceBreak1Inc GST	Returns the Price Break (without discount), incl-GST. Returns translated value based on resource 'PriceLevel1Template'.
PriceBreak2	Returns the Price Break (without discount). Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevelXTemplate'.
PriceBreak2Ex GST	Returns the Price Break (without discount), ex-GST. Returns translated value based on resource 'PriceLevel2Template'.
PriceBreak2Inc GST	Returns the Price Break (without discount), incl-GST. Returns translated value based on resource 'PriceLevel2Template'.
PriceBreak3	Returns the Price Break (without discount). Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevelXTemplate'.
PriceBreak3Ex GST	Returns the Price Break (without discount), ex-GST. Returns translated value based on resource 'PriceLevel3Template'.
PriceBreak3Inc GST	Returns the Price Break (without discount), incl-GST. Returns translated value based on resource 'PriceLevel3Template'.
PriceBreak4	Returns the Price Break (without discount). Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Returns translated value based on resource 'PriceLevelXTemplate'.
PriceBreak4Ex GST	Returns the Price Break (without discount), ex-GST. Returns translated value based on resource 'PriceLevel4Template'.
PriceBreak4Inc GST	Returns the Price Break (without discount), incl-GST. Returns translated value based on resource 'PriceLevel4Template'.
PriceBreakPrice0	Returns the Price Break price (numeric only) at level 0. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Does not translate the resource PriceLevelXTemplate.
PriceBreakPrice1	Returns the Price Break price (numeric only) at level 1. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Does not translate the resource PriceLevel1Template.
PriceBreakPrice2	Returns the Price Break price (numeric only) at level 2. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Does not translate the resource PriceLevel2Template.
PriceBreakPrice3	Returns the Price Break price (numeric only) at level 3. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Does not translate the resource PriceLevel3Template.
PriceBreakPrice4	Returns the Price Break price (numeric only) at level 4. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive. Does not translate the resource PriceLevel4Template.
PriceBreakQty0	Returns the required quantity for a level 0 Price Break.
PriceBreakQty1	Returns the required quantity for a level 1 Price Break.
PriceBreakQty2	Returns the required quantity for a level 2 Price Break.
PriceBreakQty3	Returns the required quantity for a level 3 Price Break.
PriceBreakQty4	Returns the required quantity for a level 4 Price Break.
PriceContract	Returns the Contract price for quantity x 1 of the queried product. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive.
PriceContractEx GST	Returns the Contract price (ex GST) for quantity x 1 of the queried product.

PriceContractIncGST	Returns the Contract price (inc GST) for quantity x 1 of the queried product.
PriceCurrencySuffix	Displays the generic currency suffix or '(inc GST)' / '(ex GST)', depending on flags.
PriceForOne	Returns the price for quantity x 1 of the queried product. Dependant on Customer settings whether price shown is GST-inclusive or -exclusive.
PriceForOneEx	Returns the price (ex GST) for quantity x 1 of the queried product.
PriceForOneExOrMessage	Returns the price (ex GST), or message based on attribute config on page, for quantity x 1 of the queried product.
PriceForOneInc	Returns the price (inc GST) for quantity x 1 of the queried product.
PriceForOneIncOrMessage	Returns the price (inc GST) or message based on attribute config on page, for quantity x 1 of the queried product.
PriceForOneOrMessage	Returns the price for quantity x 1 of the queried product, unless attribute(s) have not been configured. In this case, displays message to user to select product options (resource 'rcProductAttributePriceEmptyMessage').
PriceForOneString	Returns RRP with dollar sign symbol. Useful for display templates rather than conditional templates (which employ logic).
PriceFromDefault	For Attributed Products (style/colour/size variations), returns the RRP of the nominated default product - useful when variations have different prices. The lowest priced product would be nominated the default, then price could be displayed as 'From \$XX.XX'.
PriceFromFirst	For Attributed Products (style/colour/size variations), returns the RRP of the first product found - useful when all variations are the same price.
PricePromotion	Returns a formatted value for Promotional Price based on the resource 'PricePromotionTemplate'. Dependant on both Customer settings AND 'System2.PromoPriceIncludesTax' whether price shown is GST-inclusive or -exclusive.
PricePromotionExGST	Returns a formatted value for Promotional Price (ex GST), based on the resource 'PricePromotionTemplate'.
PricePromotionIncGST	Returns a formatted value for Promotional Price (inc GST), based on the resource 'PricePromotionTemplate'.
QtyBox	Renders an input box for user to input quantity.
QuantityInCart	Returns the quantity of the queried product currently in the user's cart.
RequestedDeliveryDateBox	Renders an input box for user to input preferred order delivery date.
RRPEx	Returns the RRP (ex GST) for the queried product.
RRPExOrMessage	Returns the RRP (ex GST) for quantity x 1 of the queried product, unless attribute(s) have not been configured. In this case, displays message to user to select product options (resource 'rcProductAttributePriceEmptyMessage').
RRPInc	Returns the RRP (inc GST) for the queried product.
RRPIncOrMessage	Returns the RRP (inc GST) for quantity x 1 of the queried product, unless attribute(s) have not been configured. In this case, displays message to user to select product options (resource 'rcProductAttributePriceEmptyMessage').
RRPOrMessage	Returns the RRP for quantity x 1 of the queried product, unless attribute(s) have not been configured. In this case, displays message to user to select product options (resource 'rcProductAttributePriceEmptyMessage'). Dependant on Customer settings whether price shown is GST-inclusive or -exclusive.
StocktakeQty	Renders the quantity of the queried product counted in the user's current User Stocktake for that Customer. Returns an empty string if the feature is disabled.
UserFavouritesProductDisplayIcon	Checks if the queried product is in the list of user favourites. If so, returns a resource.



For further information on how to use a particular product token, please contact Commerce Vision Support.

Related articles

- [Favourites and Prior Purchases on Product page](#)

- [Web Category and Product maintenance in PRONTO](#)
- [Add Product to Categories in Product Maintenance](#)
- [Maintain Product Category in Category Maintenance](#)
- [Enforce Pack Quantities Globally](#)